

# Synergistic Effect

Antinematodal effect with **Levamisole** + Against liver flukes effect with **Oxyclozanide**



Commercial form: 1 Lt

## Mizolanid

Oral Suspension  
30mg Levamisole HCl  
60mg Oxyclozanide

It is used in the treatment and control of the following gastrointestinal -pulmonary nematodes and adult liver fluke infestations in cattle and sheep:


*Trichostrongylus* spp., *Cooperia* spp., *Ostertagia* spp., (except inhibited larvae), *Haemonchus* spp., *Nematodirus* spp., *Bunostomum* spp., *Oesophagostomum* spp., *Chabertia* spp.

### Lungworm




*Dictyocaulus* spp.

### Gastrointestinal worms



*Haemonchus contortus*



*Nematodirus* spp.



*Cooperia* spp.

### Liver Flukes



*Fasciola* spp.

### Practical Dosage

Cattle: 25 ml Mizolanid Oral suspension per 100 kg body weight

Sheep: 2.5ml Mizolanid Oral Suspension per 10 kg body weight



Bavet İlaç A.Ş.

İTOSB (İstanbul Tuzla Organize Sanayi Bölgesi) 12. Cadde No:8, 34959  
Tepeören, Tuzla, İstanbul TÜRKİYE T: 0216 593 37 40 F: 0216 593 37 41

[www.bavet.com.tr](http://www.bavet.com.tr)

